



Material Safety Data Sheet

Copyright, 2015, Kenya Biologics Ltd. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Kenya Biologics Ltd. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Kenya Biologics Ltd., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

PRODUCT NAME: Ceratitis-Block

MANUFACTURER: Kenya Biologics Ltd.

ADDRESS: Kenya Biologics Ltd. P.O.Box 249-01020, Kenol, Kenya

Issue Date: 05/10/2015

SECTION I. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	Ceratitis -Block	
PRODUCT DESCRIPTION:	Enriched Ginger Root Oil and Malathion impregnated fibre block	
CHEMICAL CONTENTS:	Enriched Ginger Root Oil	Malathion
CHEMICAL FAMILY:	Fruit fly attractant	Insecticide
CHEMICAL FORMULA:	C ₁₁ H ₁₄ O ₂	C ₁₀ H ₁₉ O ₆ PS ₂
MANUFACTURER:	Kenya Biologics Ltd.	
ADDRESS:	P.O. Box 249-01020, Kenol, Kenya	

SECTION II. INGREDIENTS

Components:	Enriched Ginger Root Oil	Malathion
IUPAC name:	1,2 -Dimethoxy-4-(2-propenyl) Benzene	1,2-di(ethoxycarbonyl)ethyl O,O-dimethyl phosphorodithioat
CAS#:	93-15-5	121-75-5

SECTION III. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS:	May cause irritation to mucous membranes and upper respiratory tract
SKIN:	May cause skin irritation
	ACUTE EXPOSURE DATA: May cause irritation
	CHRONIC EXPOSURE DATA: Repeated exposure or prolonged contact may cause dermatitis

MATERIAL SAFETY DATA SHEET KENYA BIOLOGICS LTD. Ceratitis-Block

INHALATION:	ACUTE EXPOSURE DATA: Inhalation of volatile oils may cause dizziness, rapid shallow breathing, tachycardia, bronchial irritation and unconsciousness or convulsions. Complications may include anuria, pulmonary edema and bronchial pneumonia CHRONIC EXPOSURE DATA: No data available
EYES:	May cause irritation. ACUTE EXPOSURE DATA: May cause irritation CHRONIC EXPOSURE DATA: No data available
INGESTION:	ACUTE EXPOSURE DATA: Ingestion of volatile oils may cause abdominal burning, nausea, vomiting, Diarrhoea, Hematuria, shallow respiration and convulsions. Complications may include anuria, pulmonary edema and bronchial pneumonia Pathologic findings from ingestion of volatile oils include renal degenerative changes and intense congestion and edema in the lungs, brain and gastric CHRONIC EXPOSURE DATA: There was clear evidence of carcinogenic activity in mice and rats of both sexes based on increased incidences of liver neoplasms and neuroendocrine tumors of the glandular stomach

SECTION IV. FIRST AID MEASURES

EYE CONTACT:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention.
SKIN CONTACT:	Get medical aid. Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse get medical attention.
INHALATION:	Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
INGESTION:	If a large amount is swallowed, get medical attention.

SECTION V. FIRE AND EXPLOSION DATA

Flammability of the product:	None
Auto-Ignition temperature:	No data available
Flash points (closed cup):	No data available
Flammable limits:	No data available
Fire fighting media and instructions:	Move block from fire area, dry chemical, CO ₂ , water spray or regular foam.

Special remarks on fire & explosive hazard: Alert medical personnel to be ready to treat for pesticide poisoning.

SECTION VI. ACCIDENTAL RELEASE MEASURES

Steps to be taken if material is spilled: Sweep up and transfer for proper disposal. Refer to state, federal, released or local regulations. Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

SECTION VII. HANDLING AND STORAGE

Precautions: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation.

Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

SECTION VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls: Respiratory: Not required for product.
Ventilation: Not required for product.

Personal protection: Eyes: Safety goggles
Skin: Chemical resistant gloves.
General Hygiene Measures: Wash contaminated clothing before reuse. Wash thoroughly after handling.

Exposure limits: Malathion : OSHA PEL 8 hr TWA 15 mg/m³ (sk);1 mg/m³ (Inhal); BEI

SECTION IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical state and appearance: Fibre block

Odour: Spicy smell

Colour: Yellow-greenish

pH (1% soln/water) No data available

Boiling point: No data available

Molecular weight: Not required for product

Melting point: Not applicable

Critical temperature: above 104°C

Specific gravity: No data available

Vapour pressure: No data available

Vapour density No data available

Volatility:	No data available	
Solubility:	Enriched Ginger Root Oil Solvent: Fixed oils, alcohol, ether, and ethanol.	Malathion In water 145 mg/l (25 C)

SECTION X. STABILITY AND REACTIVITY DATA

Stability:	Stable at normal temperatures and pressure	
Conditions to avoid	Excessive heat, Avoid contact with iron, strong alkali.	
Incompatibility with various substances:	Materials to Avoid: Strong oxidizing agents and alkaline materials.	
Special remarks on reactivity:	Hazardous Decomposition Products: Carbon Monoxide, Carbon Dioxide	
Polymerization:	Will not occur under normal temperature and pressure.	

SECTION XI. TOXICOLOGICAL INFORMATION

Routes of entry:	Skin Contact: Cause skin irritation.	
	Skin Absorption: May be harmful if absorbed through skin.	
	Eye Contact: Causes eye irritation.	
	Inhalation: May be harmful if inhaled.	
	Ingestion: Harmful if swallowed.	
Toxicity to animals:	Enriched Ginger Root Oil	Malathion
Acute toxicity data:	Oral RAT LD50 810 mg/kg	Oral RAT LD50 1375-5500 mg/kg
	Inhalation RAT LC50 >4800 mg/m ³	MICE LD50 775-3320 mg/kg
	Intraperitoneal MOUSE LD50 540 mg/kg	Inhalation RAT LC50 >5.2 mg/l air
	Intravenous MOUSE LD50 >2025 mg/kg	Skin RABBIT LD50 4100-8800 mg/kg
	Skin RABBIT LD50 112 mg/kg	RATS: LD50 >2000 mg/kg
Carcinogenic	None Carcinogenic	Anticipated human carcinogen

SECTION XII. ECOLOGICAL INFORMATION

Fish toxicity	Enriched Ginger Root Oil	Malathion
	Fish: 6000 ug/l 96 day(s) LC50 (mortality) rainbow trout, donaldson trout (oncorhynchusmykiss)	Fish: 96-hr LC50, rainbow trout 110 ppb, LC50 Bluegill sunfish, 120 ppb

SECTION XIII. DISPOSAL CONSIDERATIONS

Disposal method Pesticide wastes are toxic and hazardous. Do not reuse container, dispose as hazardous waste according to local legislation.

SECTION XIV. TRANSPORT INFORMATION

Land transport ADR/RID UN-No 3077
Class: 9
Packaging group III
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S, (malathion)

Air transportation IATA/ICAO UN-No 3077
Class: 9
Packaging group III
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S, (malathion)

Maritime transport IMDG UN-No 3077
Class: 9
Packaging group III
EmS- No. F-A , S-F
Marine pollutant: Marine pollutant
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S, (malathion)

SECTION XV. OTHER REGULATORY INFORMATION

Federal and State Regulations: US Statements: Possible Carcinogen (US) California Prop. 65 carcinogen.

United States Regulatory Information

Other regulations: SARA Listed: No

Canada:

DSL: Yes

NDSL: No

Other classifications: EU Additional Classification: Xn

Indication of Danger: Harmful

R: 22, 40 36/37/38

Risk Statements: Harmful if swallowed. Limited evidence of a carcinogenic effect. Irritating to eyes, respiratory system and skin.

Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves and eye/face protection.

SECTION XVI. OTHER INFORMATION

References:

Other special considerations: None

Created: Dr N.A.M. van Beek

Last updated: 05 October 2015

DISCLAIMER

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. Kenya Biologics Ltd. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Kenya Biologics Ltd. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Kenya Biologics Ltd. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Kenya Biologics Ltd. product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Kenya Biologics Ltd. provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Kenya Biologics Ltd. makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from Kenya Biologics Ltd.